

Package: RobustAdaptiveDecomposition (via r-universe)

June 7, 2026

Type Package

Title Decomposes a Univariate Time Series into Subcomponents

Version 0.1.0

Description Provides a method to decompose a univariate time series into meaningful subcomponents for analysis and denoising.

License GPL-3

Encoding UTF-8

RoxygenNote 7.3.2

NeedsCompilation no

Author Laiba Sultan Dar [aut, cre], Muhammad Aamir [aut], Muhammad Hamraz [aut]

Maintainer Laiba Sultan Dar <laibasultan@awkum.edu.pk>

Repository <https://laibasultandar1.r-universe.dev>

Date/Publication 2025-09-09 14:10:12 UTC

RemoteUrl <https://github.com/cran/RobustAdaptiveDecomposition>

RemoteRef HEAD

RemoteSha 8efba8baf0f0bc99d958314d0872a20a2ea60fa3

Contents

RAD	2
Index	3

RAD

Divides the univariate time series data into subcomponents

Description

Divides the univariate time series data into subcomponents

Usage

```
RAD(data)
```

Arguments

`data` A numeric vector containing the time series values.

Value

A data frame containing the decomposed IMFs and residual.

Examples

```
# Example usage:  
sample_data <- rnorm(3000)  
result <- RAD(sample_data)  
head(result)
```

Index

RAD, [2](#)